Surrey Boom Lift License

Surrey Boom Lift License - In order to operate an aerial boom lift, operators must be licensed through training that can be attained utilizing both classroom sessions and practical training and by obtaining a boom lift license. Instruction must be given with respect to the type of aerial lift which will be utilized on the job. A License is needed for anyone who operates or works on an aerial boom lift.

Various types of vehicle-mounted aerial devices comprise aerial ladders, extensible boom platforms, vertical towers, articulating boom platforms, and whatever combination of these types.

When using a boom lift, there are a few basic safety regulations that apply to all boom lifts. Safety of the worker is a main concern whilst they are working in the basket. The worker must always wear a body harness and lanyard, connecting it to the boom or basket. Never tie off to a structure, equipment or an adjacent pole. Personnel should stand on the floor of the basket, and never sit or climb on the basket edge. The manufacturer's load restrictions must be followed.

Lift operators need to be certified to operate an aerial lift. The manufacturer's manual should be kept within the lift and the operator should know all aspects of that particular unit. Operators are responsible for ensuring that safety procedures are followed in the operation of the lift. Testing lift controls everyday should be done. Set brakes and position outriggers (if they are used) on pads or a stable surface. When working on a slope, use wheel chocks.

Never move an aerial lift truck with an elevated boom while workers are inside the basket. Extensible boom platforms and articulating boom made use of as employees carriers must have accessible, plainly marked, upper controls. Except for in emergency conditions, lower controls must not be used to override upper controls unless the person inside the lift gives consent.

While working from an aerial lift, do not wear tree or pole climbers.
Do not alter the insulated portion of the aerial lift.
Ensure that the booms are carefully inspected, that the machine is properly cradled and the outriggers are in the stowed position prior to moving.
Make certain that lifts being utilized in or near power lines are di-electrically tested and follow local regulations.